

Melissa J. Vincent, M.S.

SUPERVISING SCIENTIST

CONTACT INFORMATION

ToxStrategies LLC, A BlueRidge Life Sciences Company 201 East Fifth Street Suite 1900 – #1353 Cincinnati, OH 45202 Phone (828) 419-7996 <u>mvincent@toxstrategies.com</u>

PROFESSIONAL PROFILE

Ms. Melissa Vincent is a Supervising Scientist in ToxStrategies' Health Sciences Practice. She has more than 15 years of applied experience in human health risk assessment and has demonstrated proficiency in the use and application of epidemiology, toxicology, and biostatistics in support of evidence integration and quantitative dose-response assessments. Ms. Vincent has expertise in statistical analysis of epidemiological and toxicological data, and determination of exposure risk and dose-response relationships for both cancer and noncancer outcomes. This includes evaluation of pesticides, food flavorings, consumer products, arsenic, metals (including nickel, hexavalent chromium, and cobalt), and other environmental exposures (including ethylene oxide, formaldehyde, and PFAS). Ms. Vincent applies benchmark dose and meta-regression analysis to derive points of departure, including effective concentrations. These analyses frequently are based on epidemiological information and are conducted with consideration of mode of action in support of model determination.

In her practice, Ms. Vincent utilizes systematic review and risk assessment frameworks for critically evaluating epidemiological evidence for integration with toxicological hazard information. She incorporates uncertainties in dose and response, and the impact of those uncertainties on quantitative risk assessments, through application of Bayesian analysis, bias adjustments, and/or sensitivity analyses. Ms. Vincent has experience with application of USEPA guidance for benchmark dose modeling and has taught many professional continuing education courses regarding the application of these techniques for cancer and noncancer risk assessments.

Ms. Vincent collaborated with biomathematicians in evaluating a variety of data sets for consistency with, or violation of, dose addition, work that earned an Honorable Mention for the US Environmental Protection Agency's Scientific and Technical Achievement Award.









EDUCATION AND DEGREES EARNED

- 2013 Master of Science (MS), Epidemiology University of Cincinnati
- 2007 Bachelor of Arts (BA), Zoology Miami University

PROFESSIONAL HONORS/AWARDS

- 2022 Society of Toxicology Risk Assessment Specialty Section; Top Ten Abstract Award, "Risk assessment of organic impurities detected in hand sanitizers marketed to children during the COVID-19 pandemic."
- 2015 US Environmental Protection Agency Scientific and Technological Achievement Award (STAA)— Honorable Mention
- 2008 Society of Risk Analysis; Best Poster Award, "The effects of acute exposure to methyl isothiocyanate (MITC)."

PROFESSIONAL ASSOCIATIONS

Society for Risk Analysis

Society for Epidemiologic Research

SELECTED PROFESSIONAL EXPERIENCE

Risk Assessment and Quantitative Dose-Response Assessment

Applied systematic review methods, including risk-of-bias assessment and formal integration of epidemiological and toxicological evidence (with an emphasis on biological plausibility), to evaluate the likelihood that observed associations between inhalation of formaldehyde and development of lymphohematopoietic cancers are causal.

Supported derivation of inhalation unit risk estimates for hexavalent chromium based on updated lung cancer mortality information from an aerospace manufacturing facility. Mortality information across three separate cohorts was pooled to examine cumulative exposure response across a broader range of exposures to incorporate explanatory variables such as smoking, and inform dose-response shape in the lower-dose region.

Investigated acute human exposure to the pesticide methyl isothiocyanate (MITC), including the pesticide's mode of action. Estimation of health-protective concentrations included assessing clinical study data and available literature, as well as reviewing incident reports from accidental releases involving humans.

Evaluated toxicological data on human exposure to acrylamide and assisted in proposing a hypothesized carcinogenic mode of action. Performed the benchmark dose analysis of toxicological data and analyzed data to ascertain whether acrylamide significantly increased certain cancers in rats.

Investigated the association of ethylene oxide exposure on breast and lymphohematopoietic cancers using modeof-action analysis, evidence integration, and dose-response evaluation.

Developed Immediately Dangerous to Life or Health (IDLH) documentation for the National Institute for Occupational Safety and Health (NIOSH), including application of duration adjustments for acute exposures.

Supported development of skin notation documents for NIOSH, including utilization of human and animal data on acute and repeat-dose toxicity, skin irritation, and skin sensitization potential.

Statistical Analyses

Analyzed the impact of changes in dietary cholesterol and trans-fatty acid intake on serum lipoprotein concentrations through linear and non-linear Bayesian meta-regression analysis using Markov Chain Monte Carlo (MCMC) methods.

Created packaging recommendations for alcohol-based hand sanitizer to reduce the potential for accidental exposure. Recommendations were based on evaluation of Poison Control Center data, including information on relative abuse rates, to evaluate associations between hand sanitizer packaging and formulation, and the risk of accidental or intentional exposure.

Performed a meta-regression analysis to determine the relative risks associated with occupational exposure to nickel-containing compounds after reviewing available epidemiological data on exposure and reported mortality risks due to specific cancers.

Collaborated with biomathematicians and the USEPA to evaluate mixtures and test for consistency with assumptions of dose addition. This work earned an Honorable Mention for the USEPA's Scientific and Technical Achievement Award (STAA).

Epidemiology

Reviewed epidemiological information regarding occupational exposures to vapors at a nuclear facility. This work required consideration of biases, such as underreporting of effects, confounding exposures, and diagnostic limitations.

Conducted a systematic literature search and review of epidemiological research investigating cleaning products and their ingredients, and asthma or asthma-like syndromes. Developed a set of tools for safety assessment of respiratory responses in occupational cleaning situations based on these findings.

Evaluated historical exposures to sulfidic, oxidic, soluble, and metallic nickel in refining operations. This work involved development of an exposure matrix that adjusts historical exposures to account for changes in refining processes, inaccuracies in speciation, and worker history.

Evaluated associations between glyphosate exposures and multiple cancer endpoints, including but not limited to lymphohematopoietic tumors, as reported in the epidemiological literature. Used meta-analytic approaches to support integration of findings across study populations.

Evaluated the association between ethylene oxide exposure and breast and lymphohematopoietic cancers through critical evaluation of both occupational and community-based epidemiological literature. This information was integrated with mode-of-action analysis to support quantitative dose-response assessment.

Critically reviewed epidemiological literature pertaining to occupational exposures to diacetyl and 2,3-pentanedione for use as a point of departure in human health risk assessments.

Critically reviewed epidemiological literature pertaining to occupational exposures to propylene dichloride to support hazard characterization in human health risk assessments.



Regulatory Support

Assisted in development of nonclinical research strategies, risk assessment frameworks, and bridging strategies to minimize testing requirements in support of submitting a Pre-Market Tobacco Application (PMTA) to the US Food and Drug Administration. Led a team of scientists in evaluating potential health risks from use of electronic nicotine delivery systems (ENDS) to estimate the impact on public health. The risk characterization of exposure included evaluation of flavorings and other chemicals of concern.

Prepared public comments on external review draft human health risk assessments developed by USEPA.

MANUSCRIPTS

Allen BC, **Vincent MJ**, Lipworth L, Panko JM, Suh M, Jiang X, Mumma MT, Proctor DM. 2025. Lung cancer risk assessment associated with exposure to hexavalent chromium: Results of pooled analysis of three cohorts. J Occup Environ Hyg; doi: 10.1080/15459624.2025.2502491. Online ahead of print May 28, 2025. PMID: 40435461.

Borghoff SJ, Rivera B, Fitch S, Buerger AN, Choksi N, Franzen A, **Vincent MJ**, Covington T, Bus J, Rushton E, Lea IA. 2025. Systematic evaluation of the evidence base on methyl tert-butyl ether supporting a lack of concern for carcinogenic hazard in human based on animal cancer studies and mechanistic data. Curr Res Toxicol 8:100224; doi: <u>10.1016/j.crtox.2025.100224</u>.

Lipworth L, Panko JM, Allen BC, Mumma MT, Jiang X, Vincent MJ, Bare JL, Antonijevic T, Vivanco SN, Marano DE, Suh M, Cohen S, Mittal L, Proctor DM. 2025. Lung cancer mortality among aircraft manufacturing workers with long-term, low-level, hexavalent chromium exposure. J Occup Environ Hyg 22(3):214-227; doi: 10.1080/15459624.2024.2439817. PMID 39773194; open access.

Schaefer HR, Vincent MJ, Burns CJ, Lange SS. Increasing the utility of epidemiologic studies as key evidence in chemical risk assessment. Toxicol Sci 203(2):166-170; doi: 10.1093/toxsci/kfae134. PMID: 39657235; <u>open access</u>.

Wikoff DS, **Vincent MJ**, Heintz MM, Pastula ST, Reichert H, Klaren WD, Haws LC. 2025. Application of a quantitative uncertainty assessment to develop ranges of plausible toxicity values when using observational data in risk assessment: A case study examining associations between PFOA and PFOS exposures and vaccine response. Toxicol Sci 204(1):96-115; doi: <u>10.1093/toxsci/kfae152</u>. PMID: 39792025.

Bates CA, **Vincent MJ**, Buerger AN, Santamaria AB, Maier A, Jack M. 2024. Investigating the relationship between β -carotene intake from diet and supplements, smoking, and lung cancer risk. Food Chem Toxicol 194: 115104; doi: 10.1016/j.fct.2024.115104; open access.

Eturki M, Davis KG, **Vincent M**, Arnold SF, Maier A. 2024. Micro-environmental factors impact breathing zone exposures: A simulated petrochemical manufacturing facility task. Arch Environ Occup Health 79(1):11–22; doi: 10.1080/19338244.2024.2328523.

Russell AJ, **Vincent M**, Buerger AN, Dotson S, Lotter J, Maier A. 2024. Establishing short-term occupational exposure limits (STELs) for sensory irritants using predictive and in silico respiratory rate depression (RD50) models. Inhal Toxicol 36(1):13-25; doi: 10.1080/08958378.2023.2299867.

Vincent MJ, Fitch S, Bylsma L, Thompson C, Rogers S, Britt J, Wikoff D. 2024. Assessment of associations between inhaled formaldehyde and lymphohematopoietic cancer through the integration of epidemiological and toxicological evidence with biological plausibility. Toxicol Sci 199(2):172–193; <u>open access</u>.

Henderson RG, **Vincent M**, Rivera BN, Bonn-Miller MO, Doepker C. 2023. Cannabidiol safety considerations: Development of a potential acceptable daily intake value and recommended upper intake limits for dietary supplement use. Regul Toxicol Pharmacol 144:105482; doi: 10.1016/j.yrtph.2023.105482; <u>open access</u>.

Lynch, HN, Kozal JS, **Vincent MJ**, Freid RD, Beckett EM, Brown S, Mathis C, Schoeny RS, Maier A. 2023. Systematic review of the human health hazards of propylene dichloride. Regul Toxicol Pharm 144:105468; doi: 10.1016/j.yrtph.2023.105468.

Stewart CK, Parker J, Hwang R, **Vincent M**, Fung E. 2023. Quantitative risk assessment of dermal sensitization potential following use of shampoo products containing the formaldehyde releasing preservative DMDM hydantoin. Int J Toxicol 42(4):362–333; doi: 10.1177/10915818231174429.

Boles C, Maier A, **Vincent M**, Stewart C, Attar S, Yeomans D. 2022. Multi-route exposure sampling of quaternary ammonium compounds and ethanol surface disinfectants in a K-8 school. Indoor Air 32(5):e13036; doi: 10.1111/ina.13036.

Gloekler LE, de Gandiaga EJ, Binczewski NR, Steimel KG, Massarsky A, Kozal J, **Vincent M**, et al. 2022. Evaluation of the safety and efficacy of hand sanitizer products marketed to children available during the COVID-19 pandemic. Int J Environ Res Pub Health 19(21):14424.

Haber LT, Pecquet AM, **Vincent MJ**, White LM. 2022. The long goodbye: Finally moving on from the relative potency approach to a mixtures approach for polycyclic aromatic hydrocarbons (PAHs). Int J Environ Res Pub Health 19(15):9490.

Han A, Buerger AN, Allen H, **Vincent M**, Thornton SA, Unice KM, Maier A, Quiñones-Rivera. 2022. Assessment of ethanol exposure from hand sanitizer use and potential for developmental toxicity in nursing infants. J Appl Toxicol 42(9):1424–1442; doi: 10.1002/jat.4284.

Cherry D, Friedman E, **Vincent M**, Maier A. 2021. The legacy of weapons grade plutonium production: Health status of Hanford complex workers who manage the waste. Toxicol Ind Health 37(5):260–269; doi: 10.1177/0748233721996555.

Haber LT, Reichard JF, Henning AK, Dawson P, Chinthraja RS, Sindher SB, Long A, **Vincent MJ**, et al. 2021. Bayesian hierarchical evaluation of dose-response for peanut allergy in clinical trial screening. Food Chem Toxicol 151:112125; doi: 10.1016/j.fct.2021.112125.

Gadagbui B, Moore J, Parker A, McCready D, Monnot AD, Garnick L, **Vincent M**, et al. 2020. Derivation of cancer no significant risk levels and screening safety assessment for 2-nitropropane in spray products. J Appl Tox 40(5):691–705; doi: 10.1002/jat.3937.

Vincent MJ, Kozal SJ, Thompson WJ, Maier A, Dotson GS, Best EA, Mundt KA. 2019. Ethylene oxide: Cancer evidence integration and dose-response implications. Dose Response 17(4):1559325819888317. PMID: 3185323510.

Vincent MJ, Allen BA, Palacios OM, Haber LT, Maki KC. 2019. Meta-regression analysis of the effects of dietary cholesterol intake on LDL and HDL cholesterol. Am J Clin Nutr 109(1):7–16; doi: 10.1093/ajcn/nqy273.

Haber LT, Dourson ML, Allen BC, Hertzberg RC, Parker A, **Vincent MJ**, et al. 2018. Benchmark dose (BMD) modeling: Current practice, issues, and challenges. Crit Rev Toxicol 48(5):387–415; doi: 10.1080/10408444.2018.1430121.

Pecquet AM, Martinez JM, Vincent M, Erraguntla N, Dourson M. 2018. Derivation of a no-significant-risk-level for tetrabromobisphenol A based on a threshold non-mutagenic cancer mode of action. J Appl Toxicol 38(6):862–878; doi: 10.1002/jat.3594.

Haber LT, Bates HK, Allen BC, **Vincent MJ**, Oller AR. 2017. Derivation of an oral toxicity reference value for nickel. Regul Toxicol Pharmacol 87(S1–S18); doi: 10.1016/j.yrtph.2017.03.011.

Vincent MJ, Bernstein JA, Basketter D, LaKind JS, Dotson GS, Maier A. 2017. Chemical-induced asthma and the role of clinical, toxicological, exposure and epidemiological research in regulatory and hazard characterization approaches. Regul Toxicol Pharmacol 90:126–132; doi: 10.1016/j.yrtph.2017.08.018.

Vincent MJ, Parker A, Maier A. 2017. Cleaning and asthma: A systematic review and approach for effective safety assessment. Regul Toxicol Pharmacol 90:231–243; doi: 10.1016/j.yrtph.2017.09.013.

Allen BC, **Vincent MJ**, Liska DA, Haber LT. 2016. Meta-regression analysis of the effect of trans fatty acids on LDLcholesterol. Food Chem Toxicol 98:295–307.

Maier A, **Vincent MJ**, Parker A, Gadagbui BK, Jayjock M. 2015. A tiered asthma hazard characterization and exposure assessment approach for evaluation of consumer product ingredients. Regul Toxicol Pharmacol 73(3):903–913.

Dourson M, Reichard J, Nance P, Burleigh-Flayer H, Parker A, **Vincent M**, McConnell EE. 2014. Mode of action analysis for liver tumors from oral 1,4-dioxane exposures and evidence-based dose response assessment. Regul Toxicol Pharmacol 68(3):387–401.

Maier A, **Vincent MJ**, Gadagbui B, Patterson J, Beckett W, Dalton P, et al. 2014. Integrating asthma hazard characterization methods for consumer products. Regul Toxicol Pharmacol 70(1):37–45.

Maier A, **Vincent M**, Hack E, Nance P, Ball W. 2014. Derivation of an occupational exposure limit for inorganic borates using a weight of evidence approach. Regul Toxicol Pharmacol 68(3):424–437.

Patterson J, Maier A, **Kohrman-Vincent M**, Dourson ML. 2013. Peer consultation on relationship between PAC profile and toxicity of petroleum substances. Regul Toxicol Pharmacol 67:S86–S93.

Maier A, **Kohrman-Vincent M**, Hertzberg R, Allen B, Haber LT, Dourson M. 2012. Critical review of dose-response options for F344 rat mammary tumors for acrylamide – additional insights based on mode of action. Food Chem Toxicol 50(5):1763–1776.

Mwanza JC, Lyke DF, Hertzberg RC, Haber L, **Kohrman-Vincent M**, Li R, et al. 2012. Cholinesterase inhibition and depression of the photic after discharge flash evoked potentials following acute or repeated exposures to a mixture of carbaryl and propoxur. Neurotoxicol 33(3):332–346.

Cain WS, Dourson ML, **Kohrman-Vincent MJ**, Allen BC. 2010. Human chemosensory perception of methyl isothiocyanate: Odor and chemesthesis. Regul Toxicol Pharmacol 58(2):173–180.

Dourson M, Kohrman-Vincent M, Allen B, Cain W. 2010. Dose response assessment from effects of acute exposure to methyl isothiocyanate (MITC). Regul Toxicol Pharmacol 58(2):181–188.

Maier A, Kohrman-Vincent M, Parker A, Haber LT. 2010. Evaluation of concentration-response options for diacetyl in support of occupational risk assessment. Regul Toxicol Pharmacol 58(2):285–296.

Haber LT, Maier AM, Kroner OL, **Kohrman MJ**. 2009. Evidence-based assessment of human relevance and mode of action for tunica vaginalis mesotheliomas resulting from oral exposure to acrylamide. Regul Toxicol Pharmacol 53(2):134–149.



Dourson M, Hertzberg R, Allen B, Haber L, Parker A, Kroner O, Maier A, **Kohrman M**. 2008. Evidence-based dose response assessment for thyroid tumorigenesis from acrylamide. Regul Toxicol Pharmacol 52(3):264–289.

Wullenweber A, Kroner O, Kohrman M, Maier A, Dourson M, Rak A, Wexler P, Tomljanovic C. 2008. Resources for global risk assessment: The International Toxicity Estimates for Risk (ITER) and Risk Information Exchange (RiskIE) databases. Toxicol Appl Pharmacol 233(1):45–53.

BOOK CHAPTERS

Gadagbui B, Vincent M, Willis A. 2014. Methyl isothiocyanate. In: Wexler, P (ed), Encyclopedia of Toxicology, 3rd ed., pp. 310–313. Elsevier.

Zhao QJ, Haber L, **Kohrman-Vincent M**, Nance P, Dourson M. 2010. Quantitative modeling in noncancer risk assessment. In: Krishnan K, Andersen ME (eds), Quantitative modeling in toxicology. John Wiley & Sons Ltd.

ABSTRACTS AND PRESENTATIONS

Buerger AN, **Vincent MJ**, Fitch S, Rushton EK, Borghoff SJ. Evaluation of potential obesogenicity through a mode of action approach: A case study with MTBE. Abstract 3928, Society of Toxicology 64th Annual Meeting, Orlando, FL, March 2025.

Vincent M. The critical role of biological plausibility in evidence integration. Abstract 1336, Society of Toxicology 64th Annual Meeting, Orlando, FL, March 2025.

Wikoff D, Fitch S, **Vincent M,** Southall MD, Atillasoy E, Weinstein RD, Ejaz SD, Rhoden JD, Choksi N. Biological plausibility assessment of acetaminophen and occurrence of developmental neurological outcomes in humans. Abstract 4768, Society of Toxicology 64th Annual Meeting, Orlando, FL, March 2025.

Suh M, Mittal L, Brorby G, Pastula S, Vincent M, Proctor D. Epidemiology is critical in advancing cumulative impact assessment (CIA) research: A pilot study in San Antonio, Texas. International Society of Exposure Science Annual Meeting, Montreal, Canada, October 2024.

Vincent M. Epidemiology in quantitative dose-response analysis and point of departure derivation. In: Capturing unknowns: Increasing utility of epidemiologic studies as key evidence in chemical risk assessment. Presentation at Society of Toxicology Annual Meeting, Salt Lake City, UT, March 2024.

Allen B, **Vincent M**, Lipworth L, Panko J, Suh M, Jiang X, Mumma, Proctor D. Lung cancer risk and exposure to hexavalent chromium: Results of extended mortality study of workers with low level exposures and quantitative risk assessment using pooled analysis of three cohorts. Society of Toxicology Annual Meeting, Salt Lake City, UT, March 2024.

Franke K, **Vincent M**, Rogers S, Rivera B, Wikoff D. Assessment of non-occupational exposures to cleaning products and the incidence of asthma and respiratory disease. Abstract 3393, Society of Toxicology Annual Meeting, Salt Lake City, UT, March 2024.

Thompson CM, Heintz MM, Rogers SI, Fitch SE, Rivera BN, Klaren WD, **Vincent MJ**, Wikoff DS, Haws LC. Evidence identification and appraisal supporting development of an updated toxicity value for HFPO-DA. Abstract 3654, Society of Toxicology Annual Meeting, Salt Lake City, UT, March 2024.

Vincent M, Fitch S, Bylsma L, Thompson C, Rogers S, Britt J, Wikoff D. Integration of toxicological and epidemiological information to evaluate biological plausibility and causality of associations between inhaled formaldehyde (FA) and lymphohematopoietic (LHP) cancers. Abstract 5157, Society of Toxicology Annual Meeting, Salt Lake City, UT, March 2024.

Wikoff DS, Fitch S, **Vincent M**. The importance of evidence-based methods and critical appraisal of systematic biases in evaluating causation: Case study on formaldehyde and lymphohematopoietic cancers. Presentation at Society for Risk Analysis (SRA) Annual Meeting, Washington, DC. December 2023.Bates C, Russell A, Dotson GS, **Vincent M**, Lotter J, Maier MA. Establishing OELs for sensory irritants with limited data using predictive and in silico models. Poster presentation P126 at the Society of Toxicology (SOT) Annual Meeting & ToxExpo, San Diego, CA. Toxicologist Late-Breaking Supp. 168(1):17. Abstract 5023. March 2022.

Boles C, Stewart C, **Vincent M**, Attar S, Yeomans D, Maier A. An exposure assessment of disinfectants in school classrooms: A case study scenario-based product safety assessment. Poster presentation P636 at the Society of Toxicology (SOT) Annual Meeting & ToxExpo, San Diego, CA. Toxicologist 186(S1):281. Abstract 3945. March 2022.

Buerger A, Bates C, Boles C, **Vincent M**, Dotson S. Ochratoxin A and pesticides in craft beers: A pilot study. Poster presentation P193 at the Society of Toxicology (SOT) Annual Meeting & ToxExpo, San Diego, CA. Toxicologist Late-Breaking Supp. 168(1):63. Abstract 5085. March 2022.

Gloekler L, Bincewski N, De Gandiaga E, Gibbs K, Kozal J, Massarsky A, **Vincent M**, et al. Evaluation of the safety and efficacy of children's hand sanitizers available during the COVID-19 pandemic. Poster presentation P664 at the Society of Toxicology (SOT) Annual Meeting & ToxExpo, San Diego, CA. Toxicologist 186(S1):287. Abstract 3973. March 2022.

Han AA, Buerger AN, Allen H, **Vincent M**, Thornton AA, Unice K, Maier A. Assessment of ethanol exposure in nursing infants from maternal hand sanitizer use and potential for developmental toxicity. Poster presentation P514 at the Society of Toxicology (SOT) Annual Meeting & ToxExpo, San Diego, CA. Toxicologist 186(S1):146. Abstract 3325. March 2022.

Kozal JS, **Vincent MJ**, Gloekler LE, De Gandiaga EJ, Massarsky A, Zisook RE, Binczewski NR, et al. Risk assessment of organic impurities detected in hand sanitizers marketed to children during the COVID-19 pandemic. Poster presentation P530 at the Society of Toxicology (SOT) Annual Meeting & ToxExpo, San Diego, CA. Toxicologist 186(S1):150. Abstract 3341. March 2022.

Stewart C, Parker JA, Hwang R, **Vincent M**, Fung ES. Quantitative risk assessment of skin sensitization elicitation following use of shampoo products containing formaldehyde-releasing preservative DMDM hydration. Poster presentation P519 at the Society of Toxicology (SOT) Annual Meeting & ToxExpo, San Diego, CA. Toxicologist 186(S1):148. Abstract 3330. March 2022.

O'Neil HC, **Vincent MJ**, Han AA, Brown SE, Hazell AM, Krieder ML, Madl AM. Hazard and risk banding framework for prioritization and bridging of e-liquids for toxicity testing. Poster presented at Society of Toxicology Annual Meeting, virtual event, March 2021.

Kozal JS, **Vincent MJ**, Thompson WJ, Maier A, Dotson GS, Best EA, Mundt KA. Ethylene oxide: Cancer evidence integration and dose-response implications. Poster presented at Society of Toxicology Annual Meeting, Anaheim, California, March 2020.

Best EA, **Vincent MJ**, Thompson WJ, Maier A, Dotson GS, Kozal JS, Mundt KA. The role of study quality in examining the risk of cancer from occupational exposure to ethylene oxide. Poster presented at Society for Risk Analysis Annual Meeting, Arlington, Virginia, December 2019.

Palacios O, **Vincent M**, Allen B, Haber L, Maki K. The effect of dietary cholesterol on high-density lipoprotein cholesterol levels in men and women: a meta-analysis of randomized controlled trials. American Society of Nutrition Meeting, June 2018.

Vincent M, Maier A, Parker A, Gadagbui B. Characterization of chemical-induced asthma risk: hazard and exposure assessment approaches. The Toxicologist 150:398, abstract no. 2694, March 2016.

Vincent M, Allen B, Liska D, Dourson M, Haber L. Meta-regression analysis of the effect of trans fatty acids (TFAs) on LDL-cholesterol. American Society of Nutrition in Experimental Biology Meeting, March 2015.

Vincent M, Maier A, Jayjock M, Gadagbui B, Parker A, Ross S. A tiered safety assessment approach for evaluating chemicals in consumer products and applications for asthma risk management. The Toxicologist 138:601, 2014.

Patterson J, Maier A, **Vincent M**, Gadagbui B. Integrating hazard characterization approaches for evaluating the potential of consumer products to cause asthma. The Toxicologist 132:420, 2013.

Maier A, Kohrman-Vincent M, Hack E, Nance P, Ball W. Derivation of an occupational exposure limit for inorganic borates using a weight of evidence approach. The Toxicologist 132:476, 2013.